


# OREGON-WASHINGTON RAILROAD & NAVIGATION Co.



**FIRST DIVISION**

## EMPLOYEES' TIME TABLE

**To Take Effect Tuesday, December 15, 1914**

**12:01 A. M. "Pacific Time."**

For the Government and Information of Employees only, and not intended for the use of the public.  
The Company reserves the right to vary from this Time Table at pleasure.

J. P. O'BRIEN,  
*Vice-President and General Manager.*



M. J. BUCKLEY,  
*General Superintendent.*



WESTWARD.

EASTWARD.

Time Table No. 13  
December 15, 1914

STATIONS

Main table with columns for Second Class, First Class, and STATIONS. Includes sub-columns for train numbers (691, 563, 569, 511, 562, 512, 564, 692) and times for various stations from Seattle to Portland.

Figures shown on this page for information only.

Table of figures and statistics, including station names like SEATTLE, ARGON, BLACK RIVER, TACOMA JCT., TIDEWATER, TACOMA, CENTRALIA, CHEHALIS, VANCOUVER, NORTH PORTLAND JCT., ALBINA, PORTLAND, and Time over District.

Westward Trains are superior to Trains of the same class in the opposite direction.—See Rule 72

LOCATIONS OF COMMERCIAL BRANCHES... Train 1 will stop at any station to let off passengers from Coast Branch. Train 2 will stop at any station to let off passengers from Coast Branch. Train 3 will stop at any station to let off passengers from Coast Branch. Train 4 will stop at any station to let off passengers from Coast Branch. Train 5 will stop at any station to let off passengers from Coast Branch. Train 6 will stop at any station to let off passengers from Coast Branch. Train 7 will stop at any station to let off passengers from Coast Branch. Train 8 will stop at any station to let off passengers from Coast Branch. Train 9 will stop at any station to let off passengers from Coast Branch. Train 10 will stop at any station to let off passengers from Coast Branch. Train 11 will stop at any station to let off passengers from Coast Branch. Train 12 will stop at any station to let off passengers from Coast Branch. Train 13 will stop at any station to let off passengers from Coast Branch. Train 14 will stop at any station to let off passengers from Coast Branch. Train 15 will stop at any station to let off passengers from Coast Branch. Train 16 will stop at any station to let off passengers from Coast Branch. Train 17 will stop at any station to let off passengers from Coast Branch. Train 18 will stop at any station to let off passengers from Coast Branch. Train 19 will stop at any station to let off passengers from Coast Branch. Train 20 will stop at any station to let off passengers from Coast Branch.

FIRST DISTRICT—Umatilla and The Dalles.

WESTWARD.

Length of passing track in direction.	Second Class.		First Class.						DISTANCES FROM PORTLAND	
	23	255	35	17	1	19	11	5		
	Way Freight	Fast Freight	Bend The Dalles Passenger	Oregon and Washington Limited	Portland Local	Portland and Puget Sound Express	Spokane Portland Passenger	Fast Mail		
	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily		
WPTY	AM 7.00	AM 3.00		PM 1.30	AM 10.05	AM 5.20	AM 2.05	AM 1.40	183.3	
8110	7.20	3.15		1.37	10.11	5.30	2.10	1.45	179.1	
8200	7.40	3.30		1.45	10.18	5.37	2.16	1.51	175.9	
8200	8.00	3.45		1.52	10.26	5.45	2.22	1.57	172.2	
8200 W	8.25	4.05		2.02	10.36	5.54	2.29	2.05	166.7	
8118	8.40	4.25		2.10	10.45	6.03	2.36	2.12	162.2	
8260	8.55	4.52		2.17	10.53	6.09	2.43	2.19	158.4	
8110	9.30	5.15		2.26	11.06	6.20	2.52	2.28	152.6	
	10.00	5.30		2.32	11.15	6.26	2.58	2.34	148.5	
8048 W	10.10	5.35		2.35	11.18	6.29	3.01	2.37	147.0	
8016	10.30	5.50		2.42	11.27	6.37	3.08	2.44	142.6	
7200 TFW	10.50	6.05		2.50	11.35	6.45	3.15	2.51	138.0	
8208	11.20	6.20		2.57	11.43	6.56	3.21	2.57	134.3	
4948 W	11.52	6.40		3.05	11.52	7.06	3.27	3.04	129.8	
8745	PM 12.10	7.00		3.10	PM 12.01	7.15	3.34	3.10	125.8	
8217	12.25	7.20		3.16	12.05	7.20	3.38	3.14	123.4	
8000	12.47	7.40		3.22	12.12	7.28	3.45	3.20	119.1	
8500	1.15	7.55		3.28	12.20	7.37	3.51	3.26	115.3	
2776 W	1.39	8.05		3.33	12.25	7.42	3.56	3.30	112.3	
8000	1.55	8.15		3.37	12.30	7.46	4.00	3.34	109.6	
2790	2.10	8.25		3.41	12.35	7.52	4.05	3.38	107.0	
6984 Y	2.25	8.35		3.45	12.40	7.58	4.09	3.43	104.1	
950 WYP	2.35	8.45	PM 1.00	3.48	12.45	8.03	4.13	3.47	102.0	
2750	2.40	8.50		1.03	3.50	12.48	8.06	3.49	100.5	
2695	3.00	9.05		1.11	3.58	12.58	8.15	3.56	96.6	
8678	3.25	9.25		1.19	4.06	1.10	8.25	4.30	91.9	
WFTOP	4.00 PM A	10.00 AM A		1.35 PM A	4.20 PM A	1.30 PM A	8.40 AM A	4.45 AM A	4.20 AM A	84.4
	Daily	Daily		Daily	Daily	Daily	Daily	Daily		
	9.00	7.00		35	2.50	3.25	3.20	2.40	2.40	
	11.0	14.0		38.0	34.7	29.0	29.7	37.1	37.1	

Time Table No. 13  
December 15, 1914

STATIONS

DNR UMATILLA
4.2 BAILLEY
8.2 IRRIGON
3.7 JUDSON
5.5 COYOTE
4.5 PETERS
3.8 CASTLE ROCK
5.8 BOULDER
4.1 HEPPNER JCT.
1.5 WILLOWS
4.4 SILICA
4.6 ARLINGTON
8.7 GILMORE
4.5 BLALOCK'S
4.0 RAMSAY
2.4 QUINTON
4.3 SQUALLY HOOK
3.8 GOFF
3.0 JOHN DAY'S
2.7 RUFUS
2.6 GRANTS
2.9 BIGGS
2.1 SHERMAN
1.5 MILLERS
3.9 CELILO
4.7 DUNE
7.5 DNR THE DALLES

Automatic Block

Double Track

98.9

Time over District

Average Speed per Hour

EASTWARD.

STATION NUMBERS.	First Class.						Second Class.	
	6	2	18	4	12	36	256	24
	Salt Lake Express	Pendleton Local	Oregon and Washington Limited	Portland and Puget Sound Express	Portland Spokane Passenger	The Dalles Bend Passenger	Eastern Fast Freight	Way Freight
	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily
A 183	AM 5.40	PM 3.10	PM 3.40	AM 12.50	AM 1.15		AM 11.00	PM 6.00
A 179	5.30	3.00	3.34	12.40	1.05		10.40	5.40
A 176	5.20	2.53	3.27	12.33	12.59		10.18	5.15
A 172	5.14	2.45	3.20	12.27	12.52		9.55	4.50
A 167	5.06	2.35	3.11	12.18	12.44		9.30	4.15
A 162	4.59	2.25	3.03	12.11	12.37		9.15	3.45
A 158	4.52	2.17	2.55	12.04 AM	12.31		8.55	3.20
A 153	4.42	2.02	2.45	11.53	12.20		8.35	2.45
A 149	4.35	1.55	2.39	11.46	12.14		8.15	2.00
A 147	4.32	1.42	2.35	11.43	12.11		8.05	1.42
A 143	4.23	1.30	2.26	11.35	12.03 AM		7.45	1.15
A 138	4.15	1.22	2.18	11.27	11.55		7.25	12.45
A 134	4.09	1.14	2.12	11.20	11.48		6.56	12.20 PM
A 130	4.03	1.06	2.06	11.12	11.40		6.40	11.52
A 126	3.56	12.59	2.00	11.05	11.34		6.24	11.30
A 123	3.52	12.55	1.56	11.01	11.30		6.15	11.20
A 119	3.45	12.47	1.49	10.53	11.22		6.00	11.00
A 115	3.35	12.40	1.43	10.45	11.16		5.45	10.40
A 112	3.30	12.36	1.39	10.40	11.12		5.36	10.30
A 110	3.23	12.30	1.34	10.34	11.08		5.30	10.15
A 107	3.19	12.18	1.30	10.30	11.04		5.20	10.00
A 104	3.15	12.06	1.25	10.25	10.59		5.10	9.45
A 102	3.12	12.01 PM	1.20	10.22	10.56	PM 1.30	5.05	9.30
A 101	3.10	11.57	1.18	10.20	10.54	1.26	5.00	9.25
A 97	3.03	11.50	1.10	10.13	10.48	1.18	4.45	9.00
A 92	2.55	11.40	1.02	10.04	10.40	1.09	4.25	8.35
A 84	2.40 AM L	11.25 AM L	12.50 PM L	9.50 PM L	10.25 PM L	12.55 PM L	4.00 AM L	8.00 AM L
	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily
	8.00	8.45	2.50	3.00	2.50	.85	7.00	10.00
	38.0	26.2	34.7	33.0	34.7	38.0	14.0	10.0

Westward Trains are superior to Trains of the same class in the opposite direction.—See Rule 72.

Trains 1 and 2 will stop on flag at Seuferts, Big Eddy and Dillon.

Train 4 will stop on flag at Big Eddy and Dillon.

Train 11 will stop at any station to let off passengers from Fourth Division.

Train 19 will stop at any station to let off passengers from Fourth Division and East of Pendleton.

Train 18 will stop at any point between Biggs and Pendleton to let off passengers from Bend Branch.

Train 35 will stop on flag at Celilo to let off passengers from Bend Branch.

Train 17 will stop at any station to let off passengers from Cheyenne, Denver or East.

LOCATION OF COMMERCIAL SPURS

Seuferts	M. P. 87.9
Tumwater	" 96.1

**WESTWARD.**

**EASTWARD.**

Length of passing tracks in clear	WESTWARD.								DISTANCES FROM PORTLAND.	Time Table No. 13 December 15, 1914	STATIONS	EASTWARD.							
	Second Class				First Class							First Class				Second Class			
	255	23	17	1	19	11	5					6	2	18	4	12	24	256	
Past Freight	Way Freight	Oregon and Washington Limited	Portland Local	Portland and Puget Sound Express	Spokane Portland Passenger	Past Mail		Salt Lake Express	Pendleton Local	Oregon and Washington Limited	Portland and Puget Sound Express	Portland Spokane Passenger	Way Freight	Eastern Past Freight					
Daily	Daily	Daily	Daily	Daily	Daily	Daily		Daily	Daily	Daily	Daily	Daily	Daily	Daily					
WTOFP									84.4		DNR THE DALLES	A 84							
P									81.6		2.8	A 82							
8850 P									76.0		CRATES	A 76							
1950 WP									69.2		5.6	A 69							
3020 WP									63.2		ROWENA	A 63							
4040 P									58.7		6.8	A 59							
8255 P									57.5		DN MOSIER	A 58							
1885 P									55.3		6.0	A 55							
8190 P									52.9		DN HOOD RIVER	A 53							
20 TWP									49.7		4.5	A 50							
2784 P									46.8		MENOMINEE	A 47							
3203 P									42.9		1.2	A 43							
6783 WP									38.7		2.2	A 39							
3315 P									34.1		2.2	A 34							
3108 P									31.4		VIENTO	A 31							
3479 OWP									26.3		2.4	A 26							
3210 P									22.4		LINDSEY	A 22							
3050 P									19.1		3.2	A 19							
5875 WP									15.6		DN WYETH	A 16							
2700 P									13.2		2.9	A 13							
2720 P									7.7		HERMAN	A 8							
2125 P									4.4		3.9	A 4							
IP									0.6		D CASCADE LOCKS	A 1							
P									0.0		4.2	A 0							
NOTFYP									1.6		DN BONNEVILLE	AA 2							
											4.6								
											DODSON'S								
											2.7								
											ONEONTA								
											5.1								
											DN BRIDAL VEIL								
											3.9								
											ROOSTER ROCK								
											3.3								
											TAYLOR								
											3.5								
											DN TROUTDALE								
											2.4								
											D FAIRVIEW								
											5.5								
											CLARNIE								
											3.3								
											GRAHAM								
											3.8								
											EAST PORTLAND								
											0.6								
											DN PORTLAND								
											1.6								
											DNR ALBINA								
											84.4								
											Time over District								
											Average Speed per Hour								

**Westward Trains are superior to Trains of the same class in the opposite direction.—See Rule 72.**

- Trains 4 and 19 will stop at Corbett and Latourelle.
- Trains 4 and 19 will stop on flag at Warrendale.
- Train 19 will stop on flag at Crusher.
- Trains 1 and 2 will stop at Corbett.
- Trains 1 and 2 will stop on flag at Montavilla, Crusher, Latourelle, Multnomah Falls, Warrendale and Ruthton.
- Train 11 will stop at any station to let off passengers from Fourth Division.
- Train 19 will stop at any station to let off passengers from Fourth Division and East of Pendleton.
- Train 17 will stop at any station to let off passengers from Cheyenne, Denver or East.

**LOCATION OF COMMERCIAL SPURS.**

Montavilla	- - - - -	M. P.	5.4
Corbett	- - - - -	"	20.4
Crusher	- - - - -	"	21.4
Latourelle	- - - - -	"	23.9
Multnomah Falls	- - - - -	"	29.6
Warrendale	- - - - -	"	35.8
Ruthton	- - - - -	"	59.9

FIRST DISTRICT—Portland and North Portland Jct.  
SECOND DISTRICT—Tidewater and Seattle

WESTWARD.

Table with columns for Second Class (255, 23, 977, 691) and First Class (563, 135, 133, 569, 127, 125, 511, 121). Includes sub-columns for Fast Freight, Way Freight, and various train types (Owl, C.M. & St. P., Portland and Papez Sound Express, Shasta Limited). Rows include PL, IWFTYP, IP, and 30 IP. Includes 'DISTANCE FROM PORTLAND' and 'STATIONS' (DR SEATTLE, DNR ARGO, GEORGETOWN, DNR BLACK RIVER) with 'STATION NUMBERS' (D 179, D 176, D 175, D 169).

BETWEEN TACOMA JCT. AND BLACK RIVER, TRAINS WILL BE GOVERNED BY TIME TABLE RULES AND REGULATIONS OF CHICAGO, MILWAUKEE & ST. PAUL RY. CO.

Table with columns for PM L (9.00, 9.10) and AM L (12.29, 12.33) for Tacoma Jct and Tidewater. Includes 'Automatic Block' and 'Double Track' indicators. Station numbers D 143 and D 142 are listed.

BETWEEN VANCOUVER AND TIDEWATER, TRAINS WILL BE GOVERNED BY TIME TABLES, RULES AND REGULATIONS OF NORTHERN PACIFIC RY. CO.

BETWEEN NORTH PORTLAND JCT. AND VANCOUVER, TRAINS WILL BE GOVERNED BY TIME TABLE, RULES AND REGULATIONS OF SPOKANE, PORTLAND & SEATTLE RY. CO.

Table with columns for PM L (2.00, 6.30) and AM L (6.10, 6.16, 6.20, 6.30, 6.45) for North Portland Jct, Peninsula Jct, St. Johns Jct, Dnr Albina, East Portland, and Dnr Portland. Includes 'Safely Auto System Block' and 'Double Track' indicators. Station numbers D 7, AA 6, AA 4, AA 2, A 1, A 0 are listed. Includes 'Time over District' and 'Average Speed per Hour'.

Westward Trains are superior to Trains of the same class in the opposite direction.—See Rule 72.

FIRST DISTRICT—Portland and North Portland Jct.

SECOND DISTRICT—Tidewater and Seattle

**EASTWARD.**

DISTANCE FROM PORTLAND	STATIONS	STATION NUMBERS.	First Class.										Second Class.				Length of passing tracks in cars and location of water, fuel and turning stations.				
			120	124	562	128	134	132	512	564	692	978	24	256							
			C. N. & S. P. 16	C. N. & S. P. 17	Local	C. N. & S. P. 18	C. N. & S. P. 118	C. N. & S. P. 15	Shasta Limited	Owl	Fast Freight	Way Freight	Way Freight	Fast Freight							
			Daily.	Daily.	Daily.	Daily.	Daily.	Daily.	Daily.	Daily.	Daily.	Daily Ex. Sun.	Daily.	Daily.							
178.9	DR SEATTLE 8.8	D 179	AM A 10.00	AM A 11 00	PM A 3.15	PM A 7.15	PM A 7.25	PM A 8.00	PM A 9.00	AM A 6.15											PL
175.6	DNR ARGO 0.5	D 176	AM A 9.48	AM A 10.48	PM A 3.03	PM A 7.01	PM A 7.11	PM A 7.48	PM A 8.48	AM A 6.03											IWFTYP
175.1	GEORGETOWN 5.7	D 175			f 3.02				8.47	f 6.02											IP
169.4	DNR BLACK RIVER	D 169			PM L 2.50				PM L 8.35	AM L 5.50											IP 30

BETWEEN TACOMA JUNCTION AND BLACK RIVER, TRAINS WILL BE GOVERNED BY TIME TABLE, RULES AND REGULATIONS OF CHICAGO, MILWAUKEE & ST. PAUL RY. CO.

13.1	TACOMA JCT.	D 143			PM A 1.51				PM A 7.51	AM A 5.01											AM A 5.11
2.0	TIDEWATER	D 142			PM L 1.45				PM L 7.46	AM L 4.52											AM L 4.50

BETWEEN VANCOUVER AND TIDEWATER, TRAINS WILL BE GOVERNED BY TIME TABLES, RULES AND REGULATIONS OF NORTHERN PACIFIC RY. CO.

BETWEEN NORTH PORTLAND JCT. AND VANCOUVER, TRAINS WILL BE GOVERNED BY TIME TABLE, RULES AND REGULATIONS OF SPOKANE, PORTLAND & SEATTLE RY. CO.

DISTANCE FROM PORTLAND	STATIONS	STATION NUMBERS.	First Class.										Second Class.				Length of passing tracks in cars and location of water, fuel and turning stations.				
			120	124	562	128	134	132	512	564	692	978	24	256							
6.8	NORTH PORTLAND JCT.	D 7			AM A 8.50				PM A 3.20	PM A 11.20											P
5.6	PENINSULA JCT.	AA 6			8.47				3.17	11.17											P
4.1	ST. JOHNS JCT.	AA 4			8.43				3.12	11.13											P
1.6	DNR ALBINA	AA 2			f 8.35				3.05	f 11.05											P
0.6	EAST PORTLAND	A 1																			IP
0.0	PORTLAND	A 0			AM L 8.30				PM L 3.00	PM L 11.00											
	178.9		Daily.	Daily.	Daily.	Daily.	Daily.	Daily.	Daily.	Daily.											
	Time over District		.12	.12	6.45	.14	.14	.12	6.00	7.15											
	Average Speed per Hour		16.5	16.5	26.5	16.0	16.0	16.5	20.0	24.6											

Westward Trains are superior to Trains of the same class in the opposite direction.—See Rule 72.

SECOND DISTRICT—Centralia and Hoquiam.

WESTWARD.				EASTWARD.					
Length of passing tracks in Cars	Second Class.		First Class.		DISTANCE FROM CENTRALIA	First Class.		Second Class.	
	51	161				118	44	52	162
	MIXED	C.M. & St. P. Fast Frt.				C.M. & St. P. Passenger	Grays Harbor Owl		
	Daily Ex. Sun.	Daily Ex. Sun.				Daily.	Daily.		Daily Ex. Sun.
WFYOTP	PM 3 10	L			0.0	AM 3.00	L		PM 2.15

Time Table No. 13  
December 15, 1914

STATIONS  
DNR CENTRALIA 1.5

STATION NUMBERS  
D 91

BETWEEN BLAKESLEE JUNCTION AND CENTRALIA, TRAINS WILL BE GOVERNED BY NORTHERN PACIFIC TIME TABLE AND RULES.

Train No.	Class	Time	Distance	Station	Time	Distance	Station	Time	Distance
I		PM 3 20		BLAKESLEE JUNCTION	DA 2	AM 1.45			PM 1.45
25	P	3.30	1.5	GALVIN	DA 5	1.37			1.35
	P	3.50	4.0	HELSEING JUNCTION	DA 12	PM 3.50	AM 1.45		1.05
60	WP	4 05	11.8	DNR INDEPENDENCE	DA 13	3.45	1.13		12 55
26	P	4.20	13.3	BALCH	DA 18	3.31	12.53		12.30
60	P	4.35	17.9	CEDARVILLE	DA 22	3.25	12.40		12.20
60	P	4.50	21.8	FORD	DA 26	3.17	12.27		12 02 PM
		4.55	26.1	RONY	DA 28	3.13	12.21		11.57
53	P	5.05	28.4	D SAGINAW	DA 31	3.09	12.15		11.51
	WP	5.10	30.5	SOUTH ELMA	DA 33	3.05	12.10 AM		11.30
48	P	5.25	32.1	FULLERS	DA 36	2.57	11.55		11.20
60	P	5.50	35.9	DR SOUTH MONTESANO	DA 42	2.45	11.30		11.00
84	P	6.00	42.1	MELBOURNE	DA 44	2.27	11.25		10.00
35	P	6.10	43.5	PREACHER'S SLOUGH	DA 47	2.19	11.10		9.55
			49.7	NORTH RIVER JUNCTION	DA 50				9.40
45	WFYOP	6.45	50.9	DR COSMOPOLIS	DA 51	2.10	10.55		9.30
	P	6.55	52.8	SOUTH ABERDEEN	DA 53	2.05	10.50		10.55
	P	7.10	53.6	DNR ABERDEEN	DA 54	2.00	10.45		9.00

BETWEEN ABERDEEN AND HOQUIAM, TRAINS WILL BE GOVERNED BY NORTHERN PACIFIC TIME TABLE AND RULES.

Train No.	Class	Time	Distance	Station	Time	Distance	Station	Time	Distance
		7.30 PM		DNR HOQUIAM	DA 57	1.45 PM			8.30 AM
		6.00 AM	57.2			10.30 PM			10.00 PM
		Daily Ex. Sun.				Daily.			Daily Ex. Sun.
		4.20				2.05			5.45
		14.0				21.8			10.5

Eastward Trains are superior to Trains of the same class in opposite direction.—See Rule 72.

First class trains will stop on flag for passengers at Meadows, M. P. 7; Callow, M. P. 22; Hall's M. P. 40.  
Trains westward from Blakeslee Junction will procure clearance card from Dispatcher at Centralia.  
Nos. 51 and 52 will stop on flag for passengers at Jay, M. P. 8, Western Spur, M. P. 27, Meadows, M. P. 7, Callow, M. P. 22, and Hall's M. P. 40.

LOCATION OF COMMERCIAL SPURS

Meadows	MP.	7.0
Jay	"	8.0
Ninemire	"	11.9 (Exclusive C. M. & St. P. track.)
Callow	"	22.0
Western	"	27.0 (Exclusive C. M. & St. P. track.)
Gravel Pit	"	28.0

FIRST DISTRICT—Sherman and Bend.

**WESTWARD.**

Length of passing tracks in to clear.	Second Class		First Class		DISTANCE FROM SHERMAN
	81	35	81	35	
	Local Freight	The Dalles Passenger	Local Freight	The Dalles Passenger	
	Tuesdays Thursdays Saturdays	Daily	Tuesdays Thursdays Saturdays	Daily	
	A M L	A M L	A M L	A M L	
WY	12.05	7.25	12.05	7.25	147.4
2700					140.0
2630 W					130.9
2800					125.4
2700 WY					117.9
2680					110.8
WFT	A M L	A M L	A M L	A M L	
2680 WY	7 15	9.02	7 15	9.02	101.1
2480	7 30	9.14	7 30	9.14	95.4
1900 W	7.45	9.30	7.45	9.30	89.9
80 WF	8.15	9.52	8.15	9.52	81.8
2800 W					79.9
2700					76.1
	8:50	10.16	8:50	10.16	71.3
1100 Y	8.55	10.19	8.55	10.19	70.2
1180	9.07	10.25	9.07	10.25	67.3
	9.35	10.43	9.35	10.43	59.2
1150	10.00	11.00	10.00	11.00	51.3
1290 W	10.30	11.20	10.30	11.20	42.2
1200 W	11.00	11.48	11.00	11.48	31.8
1160	11.20	12.01	11.20	12.01	26.2
2650 W	11.55	12.27	11.55	12.27	14.4
	P M	P M	P M	P M	
WFY	12.10	1.00	12.10	1.00	9.9
	12.55	1.00	12.55	1.00	0.0
	Tuesdays Thursdays Saturdays	Daily	Tuesdays Thursdays Saturdays	Daily	
	12.50	5.35	12.50	5.35	
	11.5	26.3	11.5	26.3	

**Time Table No. 13**  
December 15, 1914

STATION NUMBERS	STATION	STATION NUMBERS	STATION
AC147	BEND	A 102	SHERMAN
AC140	DES CHUTES	AC 14	ORCHARD
AC131	REDMOND	AC 26	BLUFFS
AC125	TERREBONNE	AC 32	TUNNEL ONE
AC118	OPAL CITY	AC 42	FARGHER
AC111	CULVER	AC 51	MAUPIN
AC108	METOLIUS	AC 59	McLENNAN'S
AC101	MADRAS	AC 67	TWO SPRINGS
AC 95	PAXTON	AC 70	COVE CREEK
AC 90	GATEWAY	AC 71	NORTH JUNCTION
AC 82	SOUTH JUNCTION	AC 76	KASKELA
AC 80	JERSEY	AC 80	JERSEY
AC 76	KASKELA	AC 82	SOUTH JUNCTION
AC 71	NORTH JUNCTION	AC 82	SOUTH JUNCTION
AC 70	COVE CREEK	AC 82	SOUTH JUNCTION
AC 67	TWO SPRINGS	AC 82	SOUTH JUNCTION
AC 59	McLENNAN'S	AC 82	SOUTH JUNCTION
AC 51	MAUPIN	AC 82	SOUTH JUNCTION
AC 42	FARGHER	AC 82	SOUTH JUNCTION
AC 32	TUNNEL ONE	AC 82	SOUTH JUNCTION
AC 26	BLUFFS	AC 82	SOUTH JUNCTION
AC 14	ORCHARD	AC 82	SOUTH JUNCTION
AC 10	FREE BRIDGE	AC 82	SOUTH JUNCTION
A 102	SHERMAN	AC 82	SOUTH JUNCTION

Time over District  
Average Speed per Hour

**EASTWARD.**

First Class		Second Class	
36	82	36	82
The Dalles Passenger	Local Freight	The Dalles Passenger	Local Freight
Daily	Sundays Wednesdays Fridays	Daily	Sundays Wednesdays Fridays
P M A	P M A	P M A	P M A
7.45	10.45	7.45	10.45
5.45	3.45	5.45	3.45
5.25	3.00	5.25	3.00
5.10	2.40	5.10	2.40
4.45	2.00	4.45	2.00
4.20	1.15	4.20	1.15
4.16	1.10	4.16	1.10
4.10	12.55	4.10	12.55
3.50	12.30	3.50	12.30
3.30	12.05	3.30	12.05
3.05	11.20	3.05	11.20
2.38	10.34	2.38	10.34
2.25	10.18	2.25	10.18
2.05	9.43	2.05	9.43
1.57	9.30	1.57	9.30
1.35	9.00	1.35	9.00
Daily	Sundays Wednesdays Fridays	Daily	Sundays Wednesdays Fridays
6.10	18.45	6.10	18.45
28.7	10.7	28.7	10.7

FIRST DISTRICT—Biggs and Shaniko. 9

**WESTWARD.**

Length of passing tracks in to clear.	First Class		DISTANCE FROM BIGGS
	21	Mixed	
	Mixed	Daily	
	A M L		
886 WYP	7.00	69.2	
891	7.30	56.7	
1100	7.45	52.0	
571	8.00	45.4	
1908 W	8.30	38.0	
888 Spur	9.00	30.8	
2694 WY	9.20	26.6	
1089	9.35	23.4	
898	9.50	19.6	
8850 Spur	9.55	18.7	
650 Spur	10.10	15.6	
1199	10.20	13.8	
8266 W	10.35	9.3	
190 Spur	10.45	6.6	
844	10.50	4.9	
6780 WYP	11.35	0.0	
	Daily		

**Time Table No. 13**  
December 15, 1914

STATION NUMBERS	STATION	STATION NUMBERS	STATION
AD69	SHANIKO	A 104	BIGGS
AD57	WILCOX	AD 16	SANDON
AD52	KENT	AD 14	KLONDYKE
AD45	BOURBON	AD 9	WASCO
AD38	GRASS VALLEY	AD 7	SINK
AD31	ERSKINE	AD 5	GIBSON
AD27	MORO	AD 5	GIBSON
AD23	DE MOSS	AD 5	GIBSON
AD20	McDONALD	AD 5	GIBSON
AD19	HAY CANYON	AD 5	GIBSON
AD16	SANDON	AD 5	GIBSON
AD14	KLONDYKE	AD 5	GIBSON
AD 9	WASCO	AD 5	GIBSON
AD 7	SINK	AD 5	GIBSON
AD 5	GIBSON	AD 5	GIBSON
A104	BIGGS	AD 5	GIBSON

Westward Trains are superior to Trains of the same class in the opposite direction. — See Rule 72. No train or engine will go east of the west wye switch at Biggs without clearance card to cover or under flag protection.

FIRST DISTRICT—Arlington and Condon.

**WESTWARD.**

Length of passing tracks in to clear.	First Class		DISTANCES FROM ARLINGTON.
	13	Mixed	
	Mixed	Daily	
	A M L		
10005 WY	8.40	44.4	
1576	9.00	36.2	
1788	9.10	32.2	
1816	9.25	28.6	
2842 W	9.45	24.3	
1698	10.00	19.7	
2446 W	10.20	16.2	
1798	10.45	7.5	
1471	11.05	2.0	
2596 WTF	11.20	0.0	
	Daily		

**Time Table No. 13**  
December 15, 1914

STATION NUMBERS	STATION	STATION NUMBERS	STATION
AE 44	CONDON	A 138	ARLINGTON
AE 36	GWENDOLEN	AE 8	SHUTLER'S
AE 32	SPEECE	AE 2	EDDY
AE 29	CLEM	AE 2	EDDY
AE 24	MIKKALO	AE 2	EDDY
AE 20	BARNETT	AE 2	EDDY
AE 16	ROCK CREEK	AE 2	EDDY
AE 8	SHUTLER'S	AE 2	EDDY
AE 2	EDDY	AE 2	EDDY
A138	ARLINGTON	AE 2	EDDY

Westward Trains are superior to Trains of the same class in the opposite direction. — See Rule 72.

Westward Trains are superior to Trains of the same class in the opposite direction. — See Rule 72. Train movements between North Jet. and South Jet. and between Metolius and Bend will be governed by Rules, Regulations and Time Table of Oregon Trunk Railway.

Trains will not exceed speed of 15 miles per hour over Willow Creek viaduct between Madras and Metolius.

Trains 35 and 36 will stop on flag at Truman, Shearers Bridge, Ketchum and Harris.

Passenger trains will not exceed schedule time between Gateway and South Jet.



## SPECIAL INSTRUCTIONS

- No. 1. **Special Instructions supersede "Rules and Regulations of the Transportation Department."**
- No. 2. Referring to Rule 221-A, all trains must obtain clearance card at Arlington and Hood River. Unnecessary to whistle for train order signal at these stations. Trains will not whistle for train order signal at Aberdeen, Cosmopolis and Independence but will be governed by position of signal at these stations. Referring to Rule 221, on branch lines train order signal lights will not be kept burning after passage of regular trains for the day, Hoquiam branch excepted.
- No. 3. Referring to Rule 504, trains will wait five minutes after flagman has departed.
- No. 4. White flag displayed, will indicate cars or L. C. L. freight to be moved. Trains doing local work will be governed accordingly.
- No. 5. All trains (except passenger) consisting of more than 15 cars will cut off engine to take water, and will also cut off way cars before spotting.
- No. 6. A buffer car (not to be occupied by passengers) must be used on all passenger trains between the locomotive and coaches.
- No. 7. Trainmen and Enginemen are subject to the Rules and Regulations of Northern Pacific Terminal Co. while in their yard.
- No. 8. All Trains and Engines will approach crossing of United Railway Co. track on Front Street, Portland, prepared to stop before going over crossing, expecting to find crossing occupied!
- No. 9. Helper engineers must be furnished copies of all train orders affecting movements of train while being helped. Conductors will be governed accordingly.
- No. 10. Helper engines on passenger trains must be coupled on ahead of the regular engine; this will not apply to switching engines pushing passenger trains on East Portland Hill.
- No. 11. Train registers must not be used as a means of identifying extra trains.
- No. 12. Second District trains will not obtain clearance at Portland or North Portland Jct.
- No. 13. All trains must stop and receive proceed signal from bridge tender before passing on to draw of Montesano Bridge, and westward trains will be so governed at Aberdeen Bridge.
- No. 14. Sand must not be used on draw bridges.
- No. 15. Second Class trains and Extra trains only will register at Cosmopolis.
- No. 16. Freight trains going to Montesano Branch will leave their trains at South Montesano, except such cars as are to be used on branch.
- No. 17. Junction switch at Helsing Junction will be left set and locked for line to Centralia. Junction switch at Tacoma Junction will be left set for C. M. & St. P. track. Junction Switch 1500 feet east of Tidewater will be left set for Crossover to Northern Pacific main track. Wye switch on Montesano Branch will be left set for east leg of wye. Double track switch, Aberdeen, located 250 feet east of passenger station, will be left set for eastward trains
- No. 18. Black River is initial station for all eastward trains. First class trains will register by registering ticket (Form 2642) at Black River. O.-W. R. & N. eastward first class trains will procure check of register (Form 2529) from operator at Black River. Second class and extra trains only will register and receive clearance card (Form 2643) at Argo.
- No. 19. Within Automatic Block Signal Limits extra trains may pass or run ahead of second class trains without receiving a train order to do so.
- No. 20. When passing over Willamette River Bridge between Portland and East Portland, Conductor or Rear Brakeman will remain at rear of train with hand on air valve of tail hose so that emergency brake can be applied if necessary.

## SPEED RESTRICTIONS

- No. 21. Passenger trains, mail and express trains and light engines must not exceed a speed of 50 miles per hour and all other trains must not exceed a speed of 30 miles per hour.
- No. 22. No trains must exceed a speed of 30 miles per hour around 6, 7 and 8 degree curves and 25 miles per hour around 9 and 10 degree curves.
- No. 23. In any class of service, engines of Consolidation and Mikado class must not exceed a speed of 30 miles per hour and engines of Mallet class must not exceed a speed of 12 miles per hour.
- No. 24. Maximum speed on descending grades: on Shaniko Branch, Klondyke to Gibson, passenger trains 25 miles per hour, freight trains 12 miles per hour, and Gibson to Biggs, passenger trains 20 miles per hour and freight trains 10 miles per hour; on Condon Branch, Mile Post 37 to Mile Post 29, passenger trains 25 miles per hour, freight trains 12 miles per hour, and Mile Post 20 to Rock Creek, passenger trains 25 miles per hour and freight trains 12 miles per hour.
- No. 25. Passenger trains must not exceed a speed of 20 miles per hour on East Portland Hill when helper engine is used on rear of train, and must cut off such helper just east of Sandy Road crossing, except in cases of unusually heavy trains. Helper engineers will not work more steam than is absolutely necessary.
- No. 26. Passenger trains must not exceed a speed of 30 miles per hour and freight trains 20 miles per hour in either direction between Eagle Creek and Mile Post 42.
- No. 27. Westward trains will not exceed a speed of 15 miles per hour through turnout at either end of gauntlet track over Des Chutes River Bridge.
- No. 28. Eastward trains will not exceed a speed of 15 miles per hour through turnout onto eastward track at Crates.
- No. 29. When sand is blowing, engineers will run with great care and under control where they cannot see track is clear. The same precautions must be observed in passing points where there is a liability of track being obstructed by falling rock or land slides.
- No. 30. Slow boards and caution signals will be erected one-fourth mile from the point which they are intended to cover. Permanent slow boards are erected as follows: First District—Tunnel No. 3; Second District—Mile Posts 14 and 44, Hoquiam Branch.
- No. 31. Westward trains will stop before crossing Sandy Road, between M. P. 5 and 6.
- No. 32. Trains handling logs will not exceed a speed of 15 miles per hour at any point.

## YARDS.

- No. 33. Movements in Yards.** All trains, yard engines, light engines, etc., must proceed under control in both directions between Portland and East Portland, East Portland and St. Johns Jct., Seattle and Georgetown, Tacoma Jct. and Tidewater, Helsing Jct. and Independence, South Montesano and Montesano, Cosmopolis and Aberdeen, and within yards at Albina, East Portland, North Portland Jct., Kenton, The Dalles, Des Chutes River Bridge, Sherman, Biggs, Umatilla, South Junction and Tono.
- Protection at Other Stations.** Where yard limit signs are not erected, the station (S) whistling posts will be considered the yard limits. Stations referred to are those shown on the face of time table schedule. Extra trains must approach such stations expecting to find main track occupied without flag protection, and should any collision occur, the responsibility will rest upon the extra train approaching the station. Trains occupying main track at such stations must protect against regular trains and will also be governed by rules in regard to meeting and right-of-track orders.
- The limits of Albina yard extend from East Portland to St. Johns Jct.  
 The limits of North Portland Jct. yard extend from east portal of tunnel to North Portland Jct.  
 The limits of Kenton yard extend from Peninsula Jct. to yard limit sign located about 500 feet east of P. R. L. & P. Ry. overhead crossing.  
 Yard limits extend from Seattle Passenger Station to one-quarter mile west of west switch of Georgetown siding.  
 Yard limits extend from Tacoma Junction to Northern Pacific crossing at Tidewater.  
 Yard limits extend from C. M. & St. P. switch Helsing Junction to Independence.  
 Yard limits extend one-half mile east of South Montesano to one-half mile west of South Montesano, including Montesano Branch.  
 Yard limits extend from one-quarter mile east of Cosmopolis to one-quarter mile west of Aberdeen passenger station on eastward main track.  
 Yard limits extend from one-half mile west of Tono to end of track east of Tono.  
 Yard limits at Sherman apply only on branch.

## MOVEMENTS BETWEEN ST. JOHNS JCT. AND PENINSULA JCT.

- No. 34. The Train Staff System is in operation between St. Johns Jct. and Peninsula Jct.** All trains, yard engines and light engines moving between these points will be governed by Train Staff System Rules. St. Johns Jct. and Peninsula Jct. are staff stations. Train order semaphores at St. Johns Jct. and Peninsula Jct. indicate the limits of staff block. Cars must not be shoved through tunnel ahead of engine. Headlights must be kept burning on all engines run between St. Johns Jct. and Peninsula Jct. during day and night. Westward trains will be governed by position of semaphore signals located 600 feet east of east portal of tunnel and not proceed until signal is clear, securing staff at staff station. When approaching staff stations, should view be obstructed by reason of snow, fog, etc., and engineer is doubtful as to location, he must stop, and if necessary send flagman ahead to note position of signals and establish whereabouts of train.

## AIR BRAKES.

- No. 35. Trainmen must provide themselves with a supply of Defective Air Brake Cards, Form No. 2399, and must apply them to brakes cut out or found defective while in their charge.** As a general rule the trainman who discovers defective or cut out brakes is aware of the nature of defects, consequently is in a position to furnish all the information required on the tags and should be particular to do so as it is very valuable and necessary information for car inspectors or for other trains handling such cars; otherwise much time is wasted testing for trouble or reason for brakes being defective or cut out.
- No. 36. Trainmen must be particular to know that air is cut in on all cars picked up, and before descending heavy grades must know that all good-order air brakes are cut into the train line.** Hand brakes must be used on non-air and cut-out cars descending heavy grades.
- No. 37. Pressure Retaining Valves must be used on all freight trains descending grades between: Montavilla and East Portland; Nigger Ridge and McDonalds; Klondyke and Biggs; Sandon and Hay Canyon; Condon and Rock Creek.** On passenger trains descending grades between Wasco and Biggs, Condon and Rock Creek.
- No. 38. The braking power on engines helping or pushing trains must be cut into the train line and particular attention must be given to cutting in of driving brakes.** When helpers are used ahead of regular engine the regular engineer will set air on train to be released by helper engineer, and vice versa when this helper cuts off.
- No. 39. All westward freight trains will stop at Gibson and inspect train as per Rule 16, Rules and Regulations Governing Air Brakes, etc.**

## TRAIN ORDERS.

- No. 40. Within Automatic Block Signal limits between Umatilla and Portland and between Black River and Seattle:** Form "19" train order may be issued to restrict the superiority of a train, except that Form 31 must be used (1) when orders are delivered at a non-telegraph or closed telegraph station. (See Rule 217). (2) When necessary to restrict a train which has been cleared or the engine of which has passed train order signal. (See Rule 219). (3) When issuing an order Form "G", example 3. (4) When giving any train right over all trains. (5) When reducing a time order where necessary that dispatcher have signature of superior trains before completing order to an inferior train. Operator will fill out clearance, designating thereon numbers of all orders, (Forms 19 and 31), repeat to Dispatcher train and order numbers as they appear on clearance and obtain O. K. with time and Superintendent's initials, writing same before delivery in blank space. Operator will retain carbon copy of clearance. Dispatcher must write train and order numbers in his train order book as transmitted by operator from clearance, and must designate time clearance was made O. K., not transmitting O. K. unless operator repeats numbers of all orders to be delivered to the train to which clearance is addressed. When "19" order restricting superiority is issued at station where superiority is restricted, train must be stopped by operator before delivery of order. Conductor's and Engineer's attention is called to the importance of approaching at a moderate rate of speed telegraph offices where orders are to be received. Also to the necessity of carefully checking clearance to ascertain positively that clearance is properly addressed and that orders received are those called for by clearance.



# RATING OF LOCOMOTIVES IN TONS OF 2000 POUNDS

CLASSIFICATION	ENGINE NUMBERS	SHERMAN and BEND						BIGGS and SHANIKO						ARLINGTON and CONDON				HEPPNER JCT. and HEPPNER			CENTRALIA and HOQUIAM				CENTRALIA and TONO									
		EASTWARD			WESTWARD	EASTWARD			WESTWARD	EASTWARD		WESTWARD	EASTWARD		EASTWARD	EASTWARD	WESTWARD	EASTWARD	WESTWARD															
		Sherman to North Jct.	North Jct. to South Jct.	South Jct. to Madras	Madras to Redmond	Redmond to Bend	Terrebonne to Colver	Biggs to Gibson	Gibson to Sandon	Sandon to Grass Valley	Grass Valley to Shaniiko	Shaniiko to Grass Valley	Grass Valley to Moro	Hay Canyon to Sandon	Arlington to Eddy	Eddy to Rock Creek	Rock Creek to Condon	Condon to Rock Creek	Rock Creek to Arlington	Heppner Jct. to Lone	Lone to Lexington	Lexington to Heppner	Noquiam to So. Aberdeen	So. Aberdeen to Centralia	Centralia to So. Aberdeen	So. Aberdeen to Noquiam	Centralia to Tono	Tono to Centralia						
E-57 1 1/2	51	57 to 60, 62, 64						370	465	220	360	400	575	75	170	165	205	510	220	160	145	290	75	600	320	505	390	370	390	780	1000	390	855	MAX
E-63 1 1/2	54	65 to 70						365	460	215	350	395	570	70	170	155	195	460	210	145	135	260	65	550	290	455	350	335	355	705	905	355	775	MAX
E-63 1 1/2	55	71 to 73																																
E-64 1 1/2	68	80 to 87						510	635	305	490	560	780	90	210	210	260	615	295	200	235	350	114	750	375	610	470	445	470	965	1220	470	1034	MAX
T-55 1 1/2	71	112 to 119																																
A-81 1 1/2	106	88 to 102						690	865	410	660	715	1060	110	285	275	350	815	370	255	305	381	125	980	455	810	625	590	620	1240	1595	620	1360	MAX
M-57 1 1/2	91	103 to 111						520	650	310	500	565	800	95	225	215	270	645	310	200	245	360	146	800	593	640	490	465	470	965	1220	470	1034	MAX
T-63 1 1/2	92	130 to 135						535	670	315	510	645	825	115	230	250	285	670	350	220	258	385	150	950	610	665	510	485	510	1020	1310	510	1120	MAX
M-55 1 1/2	108	c. s. 10						680	845	415	650	735	1030	140	285	265	330	780	380	260	295	455	171	960	625	790	610	570	600	1200	1548	600	1315	MAX
T-63 1 1/2	113	136 to 147						690	865	415	660	745	1060	145	290	275	330	815	400	260	305	470	180	980	775	810	625	590	624	1260	1620	624	1340	MAX
C-51 1 1/2	117	160 to 164						770	955	470	740	835	1170	173	320	300	374	910	500	300	364	530	195	1075	870	910	700	665	700	1405	1800	700	1540	MAX
T-57 1 1/2	119	170 to 173						830	1035	485	785	905	1270	180	335	325	405	960	485	340	365	560	208	1210	953	965	740	705	740	1485	1905	740	1630	MAX
T-64 1 1/2	139	179 to 184																																
P-77 1 1/2	123	190 to 193						835	1050	505	800	935	1300	180	360	335	420	1020	495	320	385	590	200	1185	1015	965	740	705	740	1485	1905	740	1630	MAX
P-77 1 1/2	138	194 to 197																																
P-77 1 1/2	145	198 to 207																																
T-57 1 1/2	125	174 to 178						890	1100	540	850	965	1345	190	365	365	440	1030	500	360	420	590	240	1250	1015	1015	785	745	710	1425	1835	710	1720	MAX
P-77 1 1/2	170	208 to 209						1140	1405	685	1100	1220	1750	205	450	435	580	1290	615	425	506	760	250	1595	1390	1330	1030	950	1010	2020	2595	1010	2218	MAX
P-77 1 1/2	170	210 to 215						1140	1405	685	1100	1220	1750	205	450	435	580	1290	615	425	506	760	250	1595	1390	1330	1030	950	1010	2020	2595	1010	2218	MAX
T-69 1 1/2	159	250 to 262						990	1245	615	980	1053	1520	190	410	395	500	1175	535	370	445	617	226	1465	1200	1170	900	855	900	1800	2310	900	1975	MAX
T-68 1 1/2	160	300 to 305						1080	1340	650	1035	1170	1640	200	416	425	535	1240	585	400	490	695	252	1530	1315	1195	920	870	915	1830	2350	915	2010	MAX
C-55 1 1/2	143	327 to 329						990	1245	615	980	1100	1520	205	444	430	545	1275	550	420	445	675	267	1530	1315	1170	900	855	900	1800	2310	900	1975	MAX
C-57 1 1/2	176	330 to 338						1200	1505	745	1170	1120	1720	220	465	460	585	1305	625	435	480	755	275	1625	1400	1300	1000	950	1020	2041	2625	1020	2220	MAX
C-57 1 1/2	163	344																																
C-57 1 1/2	169	339 to 343																																
C-57 1 1/2	179	345 to 349																																
C-57 1 1/2	187	350 to 388						1305	1615	800	1255	1430	1980	275	520	500	650	1460	700	480	555	870	335	1820	1495	1495	1150	1090	1150	2300	2950	1150	2520	MAX
MK-57 1 1/2	205	500 to 565						1445	1815	895	1385	1550	2215	305	600	580	720	1635	770	530	665	940	365	2020	1630	1660	1285	1205	1270	2535	3255	1270	2780	MAX
MC-57 1 1/2	394	700 to 702						2870	3550	1760	2760	3220	4355	500	1180	1145	1420	3200	1540	1055	1250	1967	588	4000	3395	3290	2530	2400	2530	5070	6500	2530	5555	MAX

### CLASS.

- "E" — Eight Wheelers.
- "A" — Atlantic Type.
- "P" — Pacific Type.
- "T" — Ten Wheeler.
- "M" — Moguls.
- "C" — Consolidation Engines.
- "TW" — Twelve Wheelers.
- "S" — Switch.
- "MK" — Mikado.
- "MC" — Mallet Compound.

These ratings include the total weight of train, exclusive of engine and tender, which the different classes of locomotives will haul in each direction between the stations shown.

Between stations for which no rating is shown, maximum will apply.

**EXAMPLE:**—Consolidation engine having 57 inch drivers, Cylinders 22 inch diameter and 30 inch stroke, and weighing 187,000 pounds on Drivers:

C-57  $\frac{22}{30}$  187

LIST OF SURGEONS.

NAME	LOCATION	DISTRICT	NAME	LOCATION	DISTRICT
DR. K. A. J. MACKENZIE, Chief Surgeon.	PORTLAND, Corbett Bldg. } TELEPHONE: HOME A1367	O-W. R. & N. Co., System.	DR. WOOD & SAMUELS, Oculist and Aurist.	SEATTLE, Cobb Bldg. MAIN 2306	Portland-Seattle.
DR. F. M. TAYLOR, Asst. Surgeon.	PORTLAND, Corbett Bldg. } PACIFIC	O-W. R. & N. Co., System.	DR. WM. P. O'ROURKE, Assistant Surgeon.	SEATTLE (Georgetown).	Argo.
DR. DONALD H. JESSOP, Asst. Surgeon.	PORTLAND, Corbett Bldg. } MAIN 267	O-W. R. & N. Co., System.	DR. F. D. MERRITT, District Surgeon.	AUBURN.	Seattle-Tacoma.
DR. W. H. NORTON, Asst. Surgeon.	PORTLAND, Corbett Bldg.	O-W. R. & N. Co., System.	DR. CHAS. JAMES, District Surgeon.	TACOMA, 304 Berlin Bldg.	Auburn-Tenino.
DR. GEO. AINSLIE, Chief Oculist.	PORTLAND, Oregonian Bldg.	O-W. R. & N. Co., System.	DR. C. E. WILSON, District Surgeon.	TENINO.	Tacoma-Centralia.
DRS. DICKSON, COGHLAN AND DAVIS, Nose & Throat.	PORTLAND, Selling Bldg.	O-W. R. & N. Co., System.			Tenino-Winlock.
DR. A. M. WEBSTER	PORTLAND, 1050 1/2 Hawthorne Ave.	E. Portland, South of Sullivan's Gulch.	DR. DAVID LIVINGSTONE, District Surgeon.	CENTRALIA.	Centralia-So. Elma.
DR. C. HOLCOMB, District Surgeon.	ALBINA.	Albina to The Dalles and Vancouver		VADEB.	Centralia-Tono.
DR. J. F. WATT, District Surgeon.	HOOD RIVER.	Portland to The Dalles.	DR. R. H. CAMPBELL.	CASTLE ROCK.	Winlock-Castle Rock.
DR. J. M. LOWE, District Surgeon.	THE DALLES.	Hood River to Umatilla.	DR. C. P. FRYER, District Surgeon.	KELSO.	Winlock-Kelso.
DR. THOMPSON COBERTH.	THE DALLES.	Hood River to Umatilla.	DR. C. W. BAYLES, District Surgeon.	KALAMA.	Castle Rock-Kalama.
DR. J. F. R. RAIRBAIRN, District Surgeon.	REDMOND.	Bend Branch.	DR. LUTHER M. SIMMS, District Surgeon.	VANCOUVER.	Kelso-Vancouver.
DR. B. FERRELL, District Surgeon.	BEND.	Bend Branch.	DR. J. T. GUERRIN, District Surgeon.	ELMA.	Kalama-Albina.
DR. C. L. POLEY, District Surgeon.	MOBO.	Biggs to Shaniko.	DR. HANNIBAL BLAIR, District Surgeon.	COSMOPOLIS.	
DR. M. B. TAYLOR, District Surgeon.	GRASS VALLEY.	Biggs to Shaniko.	DR. EDMUND A. SIZER, District Surgeon.	ABERDEEN.	
DR. O. P. LOW, District Surgeon.	ARLINGTON.	Arlington to Condon.	DR. I. R. WATKINS, District Surgeon.	HOQUIAM.	
DRS. MILLER AND WILHELM, District Surgeons.	CONDON.	Condon to Arlington.	DR. R. F. HUNTER, District Surgeon.	MONTEBANO.	
DR. H. T. ALLESTON, District Surgeon.	HEPPNER.	Heppner Branch.	DR. J. H. FITZ, District Surgeon.		
DR. MONTGOMERY RUSSELL, Division Surgeon.	SEATTLE, 620 Leary Bldg. } MAIN 99	Portland-Seattle.			
DR. F. R. UNDERWOOD, Assistant Surgeon.	SEATTLE, 620 Leary Bldg.	Portland-Seattle.			

AMBULANCE AT PORTLAND IS LOCATED AT RED CROSS AMBULANCE CO., 391 DAVIS ST., TELEPHONES, MAIN 78 AND A 1211.

STANDARD CLOCKS.

PORTLAND	TELEGRAPH OFFICE
ALBINA	DISPATCHER'S "
THE DALLES	DISPATCHER'S "
SHANIKO	TELEGRAPH "
UMATILLA	TELEGRAPH "
CENTRALIA	DISPATCHER'S "
SEATTLE	TELEGRAPH "
COSMOPOLIS	TELEGRAPH "
ABERDEEN	TELEGRAPH "
HOQUIAM	TELEGRAPH "

LICENSED WATCH INSPECTORS.

WEBB C. BALL, General Time Inspector,	SAN FRANCISCO
A. & C. FELDENHEIMER, Local Watch Inspectors,	PORTLAND
F. FRIEDLANDER,	PORTLAND
H. A. BELDING,	PORTLAND
H. H. HEIDE,	ALBINA
D. LINDQUIST,	THE DALLES
HOUGHTON & HUNTER,	SEATTLE
M. L. DAVIS JEWELRY CO.,	TACOMA
BEN SALIK,	CENTRALIA
O. BORG,	HEPPNER
H. F. SHANKS,	ARLINGTON
F. W. STRAUB,	HOQUIAM

B. E. PALMER, Superintendent, - - - - - Portland.

F. L. COYKENDALL, Assistant Superintendent, - - - - - Portland.

W. H. GUILD, Assistant Superintendent, - - - - - "

M. B. BAYER, Trainmaster - - - - - Tacoma.


E. A. HACKETT, Chief Dispatcher - The Dalles. E. M. RINGER, Chief Dispatcher - - - - - Portland. H. L. BUCHANAN, Chief Dispatcher - Centralia.

H. D. AULD, Dispatcher, - - - - - " " F. F. SPAULDING, Dispatcher, - - - - - "

W. T. WRIGHT, " - - - - - " " J. H. REGAL, " - - - - - "

A. M. GORMAN, " - - - - - " " W. A. MILNER, " - - - - - "

G. B. WILLIAMS, " - - - - - "



LINES OF THE  
**OREGON-WASHINGTON**  
**RAILROAD & NAVIGATION COMPANY**

